




10L COMPRESSOR DEHUMIDIFIER

MODEL NO: PM 410



INSTRUCTION MANUAL

Thank you for purchasing the innovative PureMate 10L Dehumidifier PM 410. We wish you many years of healthy indoor air with this efficient and effective product.

SAFETY GUIDELINES

- ALWAYS use the appliance only on the voltage specified.
- NEVER immerse the product or power cable with water or other liquids.
- DO NOT leave the appliance unattended around children.
- DO NOT insert any objects or fingers into any openings.
- DO NOT use around heated surfaces, open flames, flammable substances or in direct sunlight.
- Please ensure the dehumidifier is set to Off when the unit is not in use.
- Please turn off and unplug the appliance before cleaning or maintenance.
- DO NOT operate if there are signs of damage to the cord, plug or appliance. Do not attempt to repair or adjust any electrical or mechanical functions on this unit.
Please Call Customer Service for assistance.

- NEVER tilt, move, or attempt to empty tank while it is operating. Ensure the dehumidifier is in an upright position.
- NEVER cover or restrict airflow to the dehumidifier whilst in use.
- Dispose of collected water, this is NOT suitable for drinking.
- When the appliance is not in use for a prolonged period, please turn it off, unplug it, pack it well, and store it in dry cool place. Please ensure water tank is always emptied before storing the dehumidifier.
- DO NOT run the cord under throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- DO NOT use the appliance for any other purpose than its intended use, as described in the manual.
- This dehumidifier is for indoor use only. DO NOT use outdoors.
- This dehumidifier may be utilized by children aged from 8 years and over and individuals with reduced physical, sensory or mental capabilities or lack of experience and knowledge HOWEVER they must have be supervised or instructed concerning use of the appliance in a safely and understand the hazards involved.

- Avoid the use of extension cables to prevent risk of overheating and fire risk.
- DO NOT by any means attempt to accelerate the appliances defrosting process.






Caution, risk of fire R290

- ENSURE to follow the cleaning process detailed by the manufacturer.
DO NOT attempt to clean in any other way.




- DO NOT pierce, incinerate or cause damage to the appliances container of refrigerant tubing.
- Be aware that refrigerants may not contain any odour.
- The maximum refrigerant charge amount is 45g.
- In the rare occurrence the unit should malfunction, DO NOT attempt any repairs. All repairs are required to be taken out by a professional. Please contact PureMate Customer Services.

SYMBOLS EXPLAINED


	For indoor use only		Please read instruction manual and retain for future use.
	Equipment complies with the applicable EU safety requirements and regulations.		

COMPONENTS







- 1. Control Panel
- 2. Power cord
- 3. Filter
- 4. Water tank
- 5. Caster Wheels
- 6. Air Inlet
- 7. Air Outlet

CONTROL PANEL



OPERATING INSTRUCTIONS

-  **POWER BUTTON:** Press to turn ON/OFF the dehumidifier.
-  **FAN SPEED:** Press to select between high speed and low speed.
-  **HUMIDITY SETTING:** Set the desired relative humidity level between 40% to 80% at 5% intervals.
- After a period of working, when relative humidity level is lower than the set humidity by 2%, the compressor will stop and the fan will continue for 3 minutes. When the relative humidity is equal to or higher than the selected humidity by 3%, the compressor will restart after the 3-minute compressor protection time is over.
-  **TIMER:** Set the Timer to turn the unit on or off between 1-24 hours.

- Set the dehumidifier to turn ON: When the dehumidifier is off, press the timer button until you reach the desired number of hours before you want it to turn on.

- Set the dehumidifier to turn OFF: When the dehumidifier is on, press the timer button until you reach the number of hours before you want it to turn off.

Please Note: The programmed time will be cancelled when the unit is manually powered ON/OFF. The programmed time remains unchanged if the machine stops to work due to water full or during defrosting.


PLEASE NOTE: Your dehumidifier will not operate when the water tank is full of water or it is not set properly.

DRAINING THE COLLECTED WATER


When the drainage tank is full, the tank full indicator light will turn on, the operation will stop automatically and the buzzer will beep 15 times to alert the user, that the water need to be emptied from the drainage tank.

REMOVING AND EMPTYING THE WATER TANK

1. Lightly press on the sides of the tank with both hands and pull the tank out gently.




2. Discard the collected water.




NOTE

1. Do not remove the float from the water tank. The water full sensor will no longer be able to detect the water level correctly without the float and water may leak from the water tank.



2. If the drainage tank is dirty, wash it with cold or lukewarm water. Do not use detergent, scouring pads, chemically treated dust cloths, gasoline, benzene, thinner, or other solvents, as these can scratch and damage the tank and cause water leakage


3. When replacing the drainage tank, press the tank firmly into place with both hands. If the tank is not positioned properly, the “TANK FULL” sensor will be activated, and the dehumidifier will not operate.



CONTINUOUS DRAINING

The unit features a continuous drainage port .Using a plastic pipe (with an inner diameter of 10mm) inserts into drain hole (on intermediate plate), reach out from side of water tank, install it in place, and arrange the drain pipe.


The water in the drainage tank can be continuously drained out from the continuous port on the unit.



CLEANING & MAINTENANCE


Cleaning the Dehumidifier To clean the Body Wipe it with a soft damp cloth

To Clean the Air Filter



1. Open the inlet grill firstly and washed with water


2. Attach the air filter Insert the filter into the grill smoothly



STORING THE DEHUMIDIFIER

When the unit is not being used for a long period of time and you want to store it note the following steps:



1. Empty any water left in the drainage tank.
2. Fold up the power supply cord and put it in the water tank.
3. Clean the air filter.
4. Discard in a cool and dry place .



SPECIFICATIONS

Power Supply:	220-240V 50Hz
Power Consumption:	205W
Water Tank Capacity:	2.0L
Working Temperature:	5-35 ⁰ C
Net Dimensions:	27 x 20.5 x 40.8 cm
Net Weight:	9.5kg

DISPOSAL OF THIS DEVICE

	Waste Electrical and Electronic Equipment (WEEE)	This symbol on the product and/or packaging indicates that waste Electrical products (WEEE) under Directive 2012/19/ EU which governs used electrical and electronic appliance, should not be disposed of with general household waste.
	The Mobius Loop	This symbol indicates that the product or packaging is capable of being recycled.



10L COMPRESSOR DEHUMIDIFIER | MODEL NO: PM 410

Super Tech Health Limited
129 Shady Lane
Great Barr
Birmingham
West Midlands
B44 9ER
United Kingdom

WWW.PUREMATE.CO.UK

© Copyright 2023