



# MINI CERAMIC HEATER

## INSTRUCTION MANUAL



MODEL NO : PM1510

### **WARNING!**


Ensure that all safety precautions are followed when using electrical appliances for the proper operation of the device. This instruction booklet describes the safety precautions to be observed during operation to prevent injuries to yourself, other persons and damage to the device. The content not only is suitable for this product but also suitable for electrical appliances in general.

This product is only suitable for well insulated spaces or occasional use.

Thank you for purchasing the innovative PureMate Mini Heater PM1510. We wish you many years of healthy indoor air with this efficient and effective product.

## **SAFETY PRECAUTIONS**


---

-  **WARNING: DO NOT COVER**". In order to avoid overheating, do not cover the heater
- Do not use if the supply cord is damaged, it must be replaced by the manufacturer, its service agent or a similarly qualified person in order to avoid a hazard.
- This appliance can be used by children aged 8+ and people with reduced physical, sensory or mental capabilities, if they have been given proper supervision or instruction. This is not a toy.
- The heater must not be located immediately below a socket-outlet.
- To protect against electrical hazards, **DO NOT** immerse in water or other liquids. **DO NOT** use near water.
- Children cannot recognize the hazards associated with the usage of electrical appliances. For this reason, always supervise children when they are near the unit.
- Do not leave your home while the appliance is in function: ensure that the switch is in OFF(0) position and the thermostat is in minimum position. Always unplug the appliance
- Keep the air inlet and outlet free from objects: at least 1 m in front and 50 cm behind the heater.
- Keep combustible material such as furniture, cushions, bedding, paper, clothes, curtains, etc. At least 100cm away from the heater.
- Do not operate any appliance with a damaged cord or plug, and/or the appliance malfunctions, or if it has been dropped or damaged in any manner. Please call Customer Service for assistance.
- Please unplug the heater when not in use.
- Ensure the mini heater is placed on a flat and even surface to prevent toppling.
- Please ensure the unit is turned off before unplugging.
- This product is only suitable for well insulated spaces or occasional use.

**CAUTION — Some parts of this product can become very hot and cause burns. Particular attention has to be taken where children and vulnerable people are present.**

## COMPONENTS

---



## OPERATING INSTRUCTIONS

---

The fan heater features a tip-over switch on the bottom so be sure to place the unit on a flat, even surface.

## SWITCHING ON AND SETTING TEMPERATURE

---

The fan heater features a tip-over switch on the bottom so be sure to place the unit on a flat, even surface.

1. Insert the plug into the power socket.
2. Turn the power dial to the desired level:
  - 2.1 "O": OFF
  - 2.2 "🌀": FAN.
  - 2.3 "I": Low heat (1000W)
  - 2.4 "II": High heat(1500W)
  - 2.5 "⊖": High heat + oscillation (1500W)
3. Turn the temperature control dial until you hear a click – this will turn the unit on. Continue turning the dial to your desired temperature. The temperature control dial acts as a thermostat. Once the room has reached the desired temperature the unit will switch off.

## SWITCHING OFF

1. Turn the power dial to the (0) OFF position.
2. Turn the temperature control dial anticlockwise to the lowest setting.
3. Remove the power plug, store the heater after the unit has cooled down.

**NOTE :** Overheat protection: When the temperature of the heater is too high, the thermostat will automatically switch off the power and the heater will stop working. After the heater has cooled, the heater can be used normally. This may occur during improper use or certain environment conditions.

Tip-over protection: When the heater is knocked over or tipped onto its side, the safety switch will automatically cut off power. Power will return to normal when the unit has been placed upright onto an even surface.

## Technical Specification:

---

Model No:	PM 1510
Rated Voltage :	220-240V~ 50Hz
Power Consumption:	1000W(Low Setting) 1500W (Highest Setting)
Dimensions (L x W x H):	17(L)x 13(W) x 24.5(H) CM
Net Weight:	1.10kg
Gross Weight:	1.3kg

### Correct Disposal of this product



This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

### FIND US ONLINE



YouTube



Model identifier(s): PM 1510					
Item	Symbol	Value	Unit	Item	Unit
Heat output			Type of heat input, for electric storage local space heaters only (select one)		
Nominal heat output	P <sub>nom</sub>	1.5	kW	manual heat charge control, with integrated thermostat	No
Minimum heat output(indicative)	P <sub>min</sub>	1.0	kW	manual heat charge control with room and/or outdoor temperature feedback	No
Maximum continuous heat output	P <sub>max,c</sub>	1.5	kW	electronic heat charge control with room and/or outdoor temperature feedback	No
Auxiliary electricity			fan assisted heat output		No
At nominal heat output	e <sub>lmax</sub>	N/A	kW	Type of heat output/room temperature control (select one)	
At minimum heat output	e <sub>lmin</sub>	N/A	kW	single stage heat output and no room temperature control	No
In standby mode	e <sub>lSB</sub>	N/A	kW	Two or more manual stages, no room temperature control	No
				with mechanic thermostat room temperature control	YES
				with electronic room temperature control	No
				electronic room temperature control plus day timer	No
				electronic room temperature control plus week timer	No
			Other control options (multiple selections possible)		
				room temperature control, with presence detection	No
				room temperature control, with open window detection	No
				with distance control option	No
				with adaptive start control	No
				with working time limitation	No
				with black bulb sensor	No
Contact details	Super Tech Health Ltd, 129 Shady Lane Birmingham B44 9ER, United Kingdom				